



Tru/Ryde®

ISO 9001:2015
Registered Company

Jacks & Couplers



SUPPLYING THE WORLD.



Contact Us Today...

TRP International (Elkhart)
22420 Challenger Drive
Elkhart, IN. 46514
574.389.9941



www.trpintl.com
trpintl@trpintl.com

TRP International (Dallas)
324 S. Town East Blvd.
Mesquite, TX. 75149
972.279.9863

A-FRAME JACKS



PART NUMBER	LIFT CAP.	TRAVEL	R	E	DESCRIPTION	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
TR-JTW2K-14	2,000 lb.	14"	19"	33"	Drop through bolt-on or weld-on, Black	8.35 lb.	220 pc.	1,838 lb.	TJA-2000-B
TR-JTW5K-15	5,000	15"	19"	34"	Drop through bolt-on or weld-on, Black	10.17	220	2,237	TJA-5000-B

SWIVEL, WELD-ON JACKS



PART NUMBER	LIFT CAP.	TRAVEL	R	E	DESCRIPTION	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
TR-JTWR2K-10	2,000 lb.	10"	15"	25"	Top wind swivel, retaining ring mount, Black	10.95 lb.	150 pc.	1,642 lb.	TJB-2001-B
TR-JTWR2K-15	2,000	15"	20"	35"	Top wind swivel, retaining ring mount, Black	13.03	120	1,563	TJB-2002-B
TR-JSWR2K-10	2,000	10"	16.65"	26.65"	Side wind swivel, retaining ring mount, Black	12.93	150	1,940	TJB-2001S-B
TR-JSWR2K-15	2,000	15"	21.65"	36.65"	Side wind swivel, retaining ring mount, Black	15.01	120	1,801	TJB-2002S-B

SWIVEL, TUBE MOUNT JACKS



PART NUMBER	LIFT CAP.	TRAVEL	R	E	DESCRIPTION	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
TR-JTWT2K-10	2,000 lb.	10"	15"	25"	Top wind swivel, tube mount, Black	11.61 lb.	150 pc.	1,741 lb.	TJP-2001-B
TR-JTWT2K-15	2,000	15"	20"	35"	Top wind swivel, tube mount, Black	13.59	150	2,039	TJP-2002-B
TR-JTWT5K-10	5,000	10"	15"	25"	Top wind swivel, tube mount, Black	12.27	150	1,840	TJP-5001-B
TR-JTWT5K-15	5,000	15"	20"	35"	Top wind swivel, tube mount, Black	14.69	150	2,204	TJP-5002-B

DIRECT WELD-LIGHT DUTY JACKS



PART NUMBER	LIFT CAP.	TRAVEL	R	E	DESCRIPTION	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
TR-JTWD7K-15	7,000 lb.	15"	22.50"	37.50"	Top wind with drop-leg, Square, Black	24.20 lb.	80 pc.	1,748 lb.	TJD-7000
TR-JSWD7K-15	7,000	15"	24.75"	39.75"	Side wind with drop-leg, Square, Black	10.17	220	2,237	TJD-7000-S

*The specifications and dimensions above are for reference only.

DIRECT WELD-MEDIUM DUTY JACKS



PART NUMBER	LIFT CAP.	TRAVEL	R	E	DESCRIPTION	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
TR-JSWD12K-FP	12,000 lb.	12.5"	29"	41.5"	Side wind with front pull pin, crank handle with spring return, Square, Black	64.90 lb.	27 pc.	1,753 lb.	TJD-12000SP-F2
TR-JSWD12K-SP	12,000	12.5"	29"	41.5"	Side wind with side pull pin, crank handle with spring return, Square, Black	64.90	27	1,753	TJD-12000SP-R2

DIRECT WELD TWO-SPEED MEDIUM DUTY JACK



PART NUMBER	LIFT CAP.	TRAVEL	R	E	DESCRIPTION	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
TR-JSWD2S12K-FP	12,000 lb.	12.5"	29"	41.5"	Two speed side wind with front pull pin, crank handle with spring return, Black	70.50 lb.	25 pc.	1,764 lb.	TJD2SP-12900SP-F

ELECTRIC JACK



PART NUMBER	LIFT CAP.	TRAVEL	R	E	DESCRIPTION	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
TR-JE3.5K-24	3,500 lb.	19.5"	9"	28.5"	12V DC Powered w/Manual Over-Ride Crank drop through bolt-on or weld-on, Black	20.30 lb.	36 pc.	818 lb.	EJ-3520

- 48" Long prewire 7-pin RV type trailer connector for quick plug in.
- Hardened Steel Gears
- LED Night light

SIDE WIND MARINE JACKS



PART NUMBER	LIFT CAP.	TRAVEL	R	E	DESCRIPTION	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
TR-JSWWM1K-10	1,000 lb.	10"	22.25"	32.25"	Side wind swivel, weld-on, w/6" caster	13.70 lb.	120 pc.	1,642 lb.	MJ-1000W
TR-JSWBM1.2K-10	1,200	11"	22.25"	33.50"	Side wind swivel, bolt-on, w/6" caster	15.00	120	1,801	MJ-1206B
TR-JSWBM1.5K-10	1,500	10"	25.25"	35.25"	Side wind swivel, bolt-on, w/6" caster	19.10	100	1,910	MJ-1500B
TR-JSWBMD1.5K-10	1,500	10"	25.25"	35.25"	Side wind swivel, bolt-on, w/6" dual caster	19.60	90	1,764	MJ-1500B-DWL
TR-JSWFBM2.5K-28	2,500	15-28"	7.25"	25.50"	Square side wind fixed, bolt-on, w/jack ft	22.60	100	2,348	MJSQ-2500B

• Zinc Plated
 *The specifications and dimensions above are for reference only.

A-FRAME



PART NUMBER	BALL SIZE	TONGUE TYPE	SAE CLASS	CAPACITY	FINISH	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
TR-CAC7K-2.00	2"	A-Frame	4	7,000 lb.	Black	14.69 lb.	150 pc.	2,204 lb.	CA-5196-B
TR-CAC12.5K-2.31	2 5/16"	A-Frame	4	12,500	Black	18.07	125	2,259	CA-5296-B

ADJUSTABLE-SLEEVE LOCK



PART NUMBER	BALL SIZE	TONGUE TYPE	SAE CLASS	CAPACITY	FINISH	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
TR-CCA7K-2.00	2"	Adjustable	4	7,000 lb.	Black	12.88 lb.	175 pc.	2,254 lb.	CTA-196
TR-CCA12.5K-2.31	2 5/16"	Adjustable	4	12,500	Black	15.13	150	2,270	CTA-296

• With Grade 8 Bolts/Nuts

ADJUSTABLE-TOP LEVER LATCH



PART NUMBER	BALL SIZE	TONGUE TYPE	SAE CLASS	CAPACITY	FINISH	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
TR-CCA15K-2.31	2 5/16"	Adjustable	4	15,000 lb.	Black	13.23 lb.	200 pc.	2,734 lb.	CTA-280

• With Grade 8 Bolts/Nuts

MOUNTING BRACKET



PART NUMBER	DESCRIPTION	CAPACITY	FINISH	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
TR-ACMB-6	Mounting Bracket, 6 Hole / 5 Position	15,000 lb.	Oiled	6.17 lb.	250 pc.	1,543 lb.	CTA-CB6

*The specifications and dimensions above are for reference only.

STRAIGHT TONGUE



PART NUMBER	BALL SIZE	TONGUE SIZE	SAE CLASS	CAPACITY	FINISH	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
<i>TR-CS2KZ-1.88X2.00</i>	1 ⁷ / ₈ "	2"	1	2,000 lb.	Zinc	2.58 lb.	500 pc.	1,290 lb.	CT-2001-Z
<i>TR-CS2K-1.88X2.00</i>	1 ⁷ / ₈ "	2"	1	2,000	Oily	2.58	500	1,290	CT-2001-O
<i>TR-CS2KZ-1.88X2.50</i>	1 ⁷ / ₈ "	2 ¹ / ₂ "	1	2,000	Zinc	2.81	500	1,404	CT-2002-Z
<i>TR-CS2K-1.88X2.50</i>	1 ⁷ / ₈ "	2 ¹ / ₂ "	1	2,000	Oily	2.81	500	1,404	CT-2002-O
<i>TR-CS2KZ-1.88X3.00</i>	1 ⁷ / ₈ "	3"	1	2,000	Zinc	3.02	500	1,510	CT-2003-Z
<i>TR-CS2K-1.88X3.00</i>	1 ⁷ / ₈ "	3"	1	2,000	Oily	3.02	500	1,510	CT-2003-O
<i>TR-CS3.5KZ-2.00X2.00</i>	2"	2"	2	3,500	Zinc	4.35	500	2,175	CT-3001-Z
<i>TR-CS3.5K-2.00X2.00</i>	2"	2"	2	3,500	Oily	4.35	500	2,175	CT-3001-O
<i>TR-CS3.5KZ-2.00X2.50</i>	2"	2 ¹ / ₂ "	2	3,500	Zinc	4.52	500	2,260	CT-3002-Z
<i>TR-CS3.5K-2.00X2.50</i>	2"	2 ¹ / ₂ "	2	3,500	Oily	4.52	500	2,260	CT-3002-O
<i>TR-CS3.5KZ-2.00X3.00</i>	2"	3"	2	3,500	Zinc	4.74	500	2,370	CT-3003-Z
<i>TR-CS3.5K-2.00X3.00</i>	2"	3"	2	3,500	Oily	4.74	500	2,370	CT-3003-O
<i>TR-CS5KZ-2.00X3.00</i>	2"	3"	3	5,000	Zinc	4.96	500	2,480	CT-5003-Z
<i>TR-CS5K-2.00X3.00</i>	2"	3"	3	5,000	Oily	4.96	500	2,480	CT-5003-O

A-FRAME



PART NUMBER	BALL SIZE	TONGUE TYPE	SAE CLASS	CAPACITY	FINISH	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
<i>TR-CA5K-2.00</i>	2"	A-Frame	3	5,000 lb.	Black	7.26 lb.	250 pc.	1,814 lb.	CA-5100-B
<i>TR-CA14K-2.31</i>	2 ⁵ / ₁₆ "	A-Frame	4	14,000	Black	9.16	250	2,290	CA-5400-B

YOKE STYLE A-FRAME



PART NUMBER	BALL SIZE	TONGUE TYPE	SAE CLASS	CAPACITY	FINISH	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
<i>TR-CAY8K-2.00</i>	2"	A-Frame	4	8,000 lb.	Black	9.68 lb.	220 pc.	2,130 lb.	CA-5210-B

*The specifications and dimensions above are for reference only.

ROUND & SQUARE GOOSENECK COUPLERS



PART NUMBER	BALL SIZE	DESCRIPTION	CAPACITY	UNIT WT.	CASE QTY.	CASE WT.	REF NO.
TR-CGR25K-2.31	2 5/16"	Round Adjustable Gooseneck Coupler 29" Retracted Height w/8" Travel 4 1/2" Dia. Outer Tube 4" Dia. Inner Tube w/Cast Locking Plate & 3/4" Load bearing pin, 2 set screws	25,000 lb.	54.73 lb.	30 pc.	1,642 lb.	GCPN-25008
TR-CGR30K-2.31	2 5/16"	Round Adjustable Gooseneck Coupler 29" Retracted Height w/8" Travel 4 1/2" Dia. Outer Tube 4" Dia. Inner Tube w/Cast Locking Plate & 3/4" Load bearing pin, 2 set screws	30,000	61.36	30	1,841	GCPN-30008
TR-CGS25K-2.31	2 5/16"	Square Adjustable Gooseneck Coupler 29" Retracted Height w/8" Travel 4 1/2" Dia. Outer Tube 4" Dia. Inner Tube w/Cast Locking Plate & 3/4" Load bearing pin, 1 set screw	25,000	70.16	30	2,105	GCSQ-25008

• All gooseneck couplers with load-bearing pin meet SAE J2638 standard.

HAND WINCHES



PART NUMBER	DESCRIPTION	UNIT WT.	BOX QTY.	BOX WT.	BOXES PER SKID	REF NO.
TR-WH1K	Single speed trailer winch, 1,000 lb. capacity, Zinc Plated	5.51 lb.	6 pc.	37 lb.	25 pc.	HW-1000
TR-WH1.4K	Single speed trailer winch, 1,400 lb. capacity, Zinc Plated	5.86	6	40	25	HW-1400
TR-WH1.6K	Single speed trailer winch, 1,600 lb. capacity, Zinc Plated	7.72	4	29	30	HW-1600
TR-WH2K	Two speed trailer winch, 2,000 lb. capacity, Zinc Plated	8.27	4	35	30	HW-2000

BRAKE WINCHES



PART NUMBER	DESCRIPTION	UNIT WT.	BOX QTY.	BOX WT.	BOXES PER SKID	REF NO.
TR-WB1K	Self-activating brake winch, 1,000 lb. capacity, Zinc Plated	5.51 lb.	6 pc.	37 lb.	25 pc.	BW-1000
TR-WB1.5K	Self-activating brake winch, 1,500 lb. capacity, Zinc Plated	7.50	6	50	25	BW-1400

*The specifications and dimensions above are for reference only.

WINCH STRAPS



PART NUMBER	DESCRIPTION	BOX QTY.	BOX WT.	BOXES PER SKID
TR-WH1KS	Nylon 2" x 26.2" Strap w/Snap Hook, 1,000 lb. capacity	39 pc.	41 lb.	24 bx.
TR-WH1.4KS	Nylon 2" x 26.2" Strap w/Snap Hook, 1,400 lb. capacity	36	37	24
TR-WH1.6KS	Nylon 2" x 26.2" Strap w/Snap Hook, 1,600 lb. capacity	35	40	24
TR-WH2KS	Nylon 2" x 26.2" Strap w/Snap Hook, 2,000 lb. capacity	35	44	24

TRAILER JACK ACCESSORIES & PARTS

PART NUMBER	DESCRIPTION	UNIT WT.	CRATE QTY.	CRATE WT.	REF NO.
TR-AJF-2.00	Jack Foot w/hardware, 2" Tube, Zinc	1.20 lb.	1,000 pc.	1,200 lb.	JF-99
TR-AJFHD-2.00	Heavy Duty Foot w/hardware, 2" Tube	1.90	1,000	1,780	JF-100-Z
TR-AJDL9.50-2.00	Drop Leg w/hardware, 9 1/2", 2" Tube	2.85	500	1,425	JF-1005H-Z
TR-AJC-6.00	Removable 6" Caster Wheel, 2" Tube	4.76	300	1,428	JC-101
TR-AJBSP	Bottom Support Plate for A-Frame Jacks	0.69	3,000	2,079	JSP-100
TR-AMBR-P	Weld-on retaining mounting bracket plate	1.20	2,000	2,400	TJB-MB
TR-AMBR-R	Retaining ring	0.02	2,500	50	SNP-RING
TR-AMBJT-2.00	Tubular mounting bracket, 2" Tube	1.00	2,000	2,000	TJP-IP
TR-AJCH12K	Crank handle, for 12,000 lb. Jack	2.98	500	1,490	TJD-12000-HD



**Jack Foot
TR-AJF-2.00**



**Heavy Duty Foot
TR-AJFHD-2.00**



**Drop Leg
TR-AJDL9.50-2.00**



**6" Caster Wheel
TR-AJC-6.00**



**A-Frame Support Plate
TR-AJBSP**



**Mounting Bracket Plate
TR-AMBR-P**



**Retaining Ring
TR-AMBR-R**



**Tubular Mounting
Bracket
TR-AMBJT-2.00**



**Crank Handle
TR-AJCH12K**

*The specifications and dimensions above are for reference only.

JACK & COUPLER PARTS

PART NUMBER	DESCRIPTION	REF NO.
TR-AJHTW-2K	Replacement Jack Handle, 2,000 lb.	TJA-2000-HD
TR-AJHTW-5K	Replacement Jack Handle, 5,000 lb.	TJA-5000-HD
TR-AJHTW-7K	Replacement Jack Handle, Top wind 7,000 lb. Drop Leg Jack	TJD-7000-HD
TR-AJHSW-7K	Replacement Jack Handle, Side wind 7,000 lb. Drop Leg Jack	TJD-7000S-HD
TR-AJGK-12K	Replacement Gear Kit for 12,000 lb. Drop Leg Jack	TJD-12000-GR
TR-AMJHSW-1K-1.5K	Replacement Marine Jack Handle for Side wind 1K, 1.2K, 1.5K	MJ-1000B-HD
TR-AMJMBK-1K-1.5K	Replacement Marine Jack Mounting Bracket Kit 1K, 1.2K, 1.5K	MJ-1000B-MK
TR-CRK1.88-2K	Coupler Repair Kit 1 ³ / ₄ " Ball, 2,000 lb.	CT-2000-RK
TR-CRK2.00-3.5K	Coupler Repair Kit 2" Ball, 3,500 lb.	CT-3000-RK
TR-CRK2.00-5K	Coupler Repair Kit 2" Ball, 5,000 lb.	CT-5100-RK



Jack Handle, Top Wind
TR-AJHTW-2K
TR-AJHTW-5K



Jack Handle, Top Wind
TR-AJHTW-7K



Jack Handle, Side Wind
TR-AJHSW-7K



Gear Kit for 12K
Drop Leg Jack
TR-AJGK-12K



Marine Jack Handle,
Side Wind
TR-AMJHSW-1K-1.5K



Marine Jack Mounting
Bracket Kit
TR-AMJMBK-1K-1.5K



Coupler Repair Kit
TR-CRK1.88-2K
TR-CRK2.00-3.5K
TR-CRK2.00-5K

SURGE ACTUATORS



PART NUMBER	DESCRIPTION
TR-AS7K-2.00-WO-DISC	7K, 2" Ball, Weld On, Disc
TR-AS8.4K-2.00-WO-DISC	8.4K, 2" Ball, Weld On, Disc

Scan our QR code to learn more about TRP International products:

